

BLUE HAVEN SPA CARE INSTRUCTIONS



Spa Start Up Procedure

1. Fill spa with clean water from a garden hose (when spa is filled proceed to the next step).
2. All spa water chemicals must always be added when jet pump is running.
3. Add 'Nature 2' into centre of cartridge (Usage as per instructions).
4. Add Alkalinity Increaser (first) , Lithium Hypochlorite (Spa & Pool Shock) , and Spa Klear Clarifier to spa water as per table below:-

(10gr approximately = 1 Teaspoon), (25gr approximately = 1 Tablespoon) flat measure			
Litres	Alkalinity Increaser	Lithium Hypochlorite	Spa Klear Clarifier
1000-1200	100 gr	40 gr	50mls
1200-1400	120 gr	60 gr	75mls
1400-1600	140 gr	80 gr	100mls
1600-1800	160 gr	100 gr	100mls

5. Test water with test strips and adjust pH and Alkalinity if necessary
6. Continue to run jet pump for 30 minutes.
7. You can now turn your thermostat control switch to your preferred temperature.
8. Close and secure thermal cover to spa (for safety).

Daily Maintenance when Spa is in Use

1. Add Pool & Spa Shock 10 minutes before entering spa 10gr per 1000 litres. When leaving the spa repeat dosage to maintain sanitiser level.

Fortnightly Maintenance and Shock Dosing (or weekly if spa is under heavy usage).

1. Add 100gr of Spa Shock per 1000 litres.
2. Whilst jet pump is running add Lithium Hypochlorite and Spa Klear as per start up table above.
3. Use test strips to test Total Alkalinity and pH. Match colours to chart on bottle and adjust with chemical if necessary.
4. Remove filter cartridges and hose with a high pressure garden hose (see Regular Maintenance for further advice).
5. Leave cover off for at least 30mins after adding chemicals.

Please turn over for Regular Maintenance and Problem Solving

Regular Maintenance

1. Once a month soak cartridges in 1 sachet of Spa Bath Cartridge Cleaner soak for a minimum of 3 hours or overnight. Hose filters thoroughly with clean water after soaking. This will ensure the removal of all body oils and fats, cosmetics, lotions and hair, etc.
2. Replace your N2 cartridge every 4 months. At this time empty the spa then refill and balance water.

PROBLEM SOLVING

Cloudy or Discoloured water

Make sure that the filter is clean.

Check pH levels. If the pH is low add Premium Quality Alkalinity Increaser (never add more than 20gms at any one time) and let the spa run for a few minutes.

If the pH level is already within the satisfactory range add Spa Kleer Clarifier (see Start Up chart for dosage). Spa Kleer coagulates fine non filterable particles allowing them to pass into the filtration system.

If water is greatly discoloured it may need to be emptied, refilled and rebalanced.

Smelly Water (chemical odour)

Add Lithium Hypochlorite (see start up chart for dosage). The odour actually comes from not having enough sanitiser in the water. Allow the spa to filter overnight without use.

Turbid or off Water

Check and balance the spa water. Allow to filter overnight. DO NOT use the spa until the water is clear and balanced. In some instances where the water has become very dirty and smells off it is easier and safer to dump the water and start up again.

Foamy Water

Usually associated with detergent entering the spa through clothes or other means. Never use household cleaners to clean your spa.

Foaming can also be caused by excessively heavy bather load or incorrect pH. Drain 10% of the water from the spa and refill. If foaming continues keep adding fresh water until foaming stops or purchase a product called No Foam (available from your nearest Blue Haven Spa outlet).

Product guide to chemical application to:-

Increase pH = Add Premium Quality Alkalinity Increaser

Decrease pH = Add Premium Quality pH Decreaser

Increase Sanitiser = Add Premium Quality Pool & Spa Shock Sanitiser (Lithium Hypochlorite)

Decrease Sanitiser = Add fresh water

Increase Alkalinity = Add Premium Quality Alkalinity Increaser

Decrease Alkalinity = Add Premium Quality pH Decreaser

Breakdown foam = No Foam

Fragrance Water = Add fragrances

You will find a wide range of Spa Products stocked at your local Blue Haven Spa outlet. Please ring Head Office for the outlet closest to you or for any other problems. Head Office (02) 9728 0420

PLEASE NOTE: USING DI CHLOR & BROMINE IN YOUR SPA MAY VOID SOME MANUFACTURERS WARRANTIES. PLEASE CHECK YOU SPA MANUFACTURERS WARRANTY.